

L Number	Hits	Search Text	DB	Time stamp
-	2	(monitoring same (b adj channel) same (throughput))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 17:19
-	0	((monitor\$4) with ((b adj channel) or (b-channel) or (bearer adj channel)) with (throughput or (application adj response) or (call adj ((set adj up) or (set-up)) adj time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:32
-	3	((monitor\$4) same ((b adj channel) or (b-channel) or (bearer adj channel)) same (throughput or (application adj response adj time) or (call adj ((set adj up) or (set-up)) adj time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:32
-	26	((monitor\$4) same ((b adj channel) or (b-channel) or (bearer adj channel)) same (error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:32
-	137	((monitor\$4) or (detect\$4)) same ((b adj channel) or (b-channel) or (bearer adj channel)) same (error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:32
-	0	((monitor\$4) or (detect\$4)) with ((b adj channel) or (b-channel) or (bearer adj channel)) with (throughput or (application adj response adj time) or (call adj ((set adj up) or (set-up)) adj time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 11:36
-	5	((monitor\$4) or (detect\$4)) same ((b adj channel) or (b-channel) or (bearer adj channel)) same (throughput or (application adj response adj time) or (call adj ((set adj up) or (set-up)) adj time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:35
-	9	((monitor\$4) with ((b adj channel) or (b-channel) or (bearer adj channel)) with (error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:36
-	25	((examin\$4)) with ((b adj channel) or (b-channel) or (bearer adj channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:07
-	28	((b adj channel) or (b-channel) or (bearer adj channel)) with (throughput or (application adj response adj time) or (call adj ((set adj up) or (set-up)) adj time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:20
-	107	((selecting) with ((b adj channel) or (b-channel) or (bearer adj channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:09
-	135	((selecting or sampling) with (((b adj channel) or (b-channel) or (bearer adj channel) adj data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:21

-	100	((selecting) with (((b adj channel) or (b-channel) or (bearer adj channel) adj data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:20
-	35	((((selecting or sampling) with (((b adj channel) or (b-channel) or (bearer adj channel) adj data)))) not (((selecting) with (((b adj channel) or (b-channel) or (bearer adj channel) adj data))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:14
-	1762	((((b adj channel) or (b-channel) or (bearer adj channel))) with ((d adj channel) or (d-channel) or (data adj channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:56
-	2054	((((b adj channel) or (b-channel) or (bearer adj channel))) same ((d adj channel) or (d-channel) or (data adj channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 12:27
-	17	((selecting or sampling) with ((b adj channel) or (b-channel) or (bearer adj channel))) with ((d adj channel) or (d-channel) or (data adj channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:15
-	0	((b adj channel) or (b-channel) or (bearer adj channel)) with (service adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:40
-	1	(ISDN) with (service adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:44
-	0	(identif\$7) with (service adj type) with (ISDN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:45
-	254	(real-time or (real adj time)) with ISDN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 16:10
-	379	(fax) with (ISDN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:46
-	0	(real-time or (real adj time)) with ISDN with summary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:46
-	76	(service adj type) with (ISDN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:48
-	50	((indicat\$5) or (determin\$7) or (detect\$6)) with (service adj type) with (ISDN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:50

-	2266	plurality with ((d adj channel) or (d-channel) or (data adj channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 15:59
-	164	(plurality with ((d adj channel) or (d-channel) or (data adj channel))) same ISDN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 16:01
-	28	(plurality near2 ((d adj channel) or (d-channel) or (data adj channel))) same ISDN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:49
-	0	(service adj3 (record or transaction)) with ((d adj channel) or (d-channel) or (data adj channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 17:21
-	12	(service adj3 (record or transaction)) with ISDN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 17:23
-	0	((b adj channel) or (b-channel) or (bearer adj channel)) with (service adj records)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:34
-	13	((b adj channel) or (b-channel) or (bearer adj channel)) with (service adj information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:36
-	1	((b adj channel) or (b-channel) or (bearer adj channel)) with (performance adj (information or record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:43
-	1	ISDN with (service adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:44
-	6	ISDN same (service adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 15:44
-	5	(real-time or (real adj time)) with ISDN with operation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 16:10